









LAUTEX PERFORATIONS


<p>No. 1</p>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> $\phi 3.5 / 12.4\%$ </div>								
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 50%;">MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.9 Al max. 0.6 Steel</td> <td style="text-align: center;">685 / 710 mm</td> </tr> </tbody> </table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Steel	685 / 710 mm		
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.9 Al max. 0.6 Steel	685 / 710 mm								
<p>No. 2</p>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> $\phi 3.5 / 25\%$ </div>								
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 50%;">MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.9 Al max. 0.6 Steel</td> <td style="text-align: center;">685 / 710 mm</td> </tr> </tbody> </table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Steel	685 / 710 mm		
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.9 Al max. 0.6 Steel	685 / 710 mm								
<p>No. 3</p>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> $\phi 3.5 / 6.2\%$ </div>								
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 50%;">MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.9 Al max. 0.6 Steel</td> <td style="text-align: center;">678 / 710 mm</td> </tr> </tbody> </table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Steel	678 / 710 mm		
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.9 Al max. 0.6 Steel	678 / 710 mm								
<p>No. 4</p>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> $\phi 2.0 / 15\%$ </div>								
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 50%;">MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.7 Al</td> <td style="text-align: center;">694 / 800 mm</td> </tr> </tbody> </table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al	694 / 800 mm		
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.7 Al	694 / 800 mm								
<p>No. 5</p>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> $\phi 1.1 / 21\%$ </div> <p>PANELS ONLY</p>								
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 50%;">MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.6 Al</td> <td style="text-align: center;">136 / 250 mm</td> </tr> </tbody> </table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.6 Al	136 / 250 mm		
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.6 Al	136 / 250 mm								

FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT

6.1 LTX-PERFORATIONS


<p>No. 6</p> 	<p>$\phi 3.5 / 25\%$</p> <p>(ONLY FOR CASSETTES)</p>							
<table border="1"> <thead> <tr> <th></th> <th>MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.9 Al max. 0.6 Fe</td> <td>634 / 790 mm</td> </tr> </tbody> </table>			MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Fe	634 / 790 mm	
	MAX. WIDTH							
MATERIAL	PERFORATION AREA / SHEET							
max. 0.9 Al max. 0.6 Fe	634 / 790 mm							
<p>No. 7</p> 	<p>$\phi 2.5 / 25\%$</p>							
<table border="1"> <thead> <tr> <th></th> <th>MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.7 Al max. 0.5 Fe</td> <td>178 / 280 mm</td> </tr> </tbody> </table>			MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al max. 0.5 Fe	178 / 280 mm	
	MAX. WIDTH							
MATERIAL	PERFORATION AREA / SHEET							
max. 0.7 Al max. 0.5 Fe	178 / 280 mm							
<p>No. 8</p> 	<p>$\phi 1.1 / 21\%$</p> <p>ONLY FOR CASSETTES</p>							
<table border="1"> <thead> <tr> <th></th> <th>MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.7 Al</td> <td>677.6 / 790 mm</td> </tr> </tbody> </table>			MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al	677.6 / 790 mm	
	MAX. WIDTH							
MATERIAL	PERFORATION AREA / SHEET							
max. 0.7 Al	677.6 / 790 mm							
<p>No. 9</p> 	<p>$\phi 1.1 / 10.5\%$</p>							
<table border="1"> <thead> <tr> <th></th> <th>MAX. WIDTH</th> </tr> </thead> <tbody> <tr> <td>MATERIAL</td> <td>PERFORATION AREA / SHEET</td> </tr> <tr> <td>max. 0.7 Al</td> <td>677.6 / 790 mm</td> </tr> </tbody> </table>			MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al	677.6 / 790 mm	
	MAX. WIDTH							
MATERIAL	PERFORATION AREA / SHEET							
max. 0.7 Al	677.6 / 790 mm							
<p>FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT</p>								

6.1 LAUTEX-VENTILATION PERFORATIONS




ALT. 1

OPEN AREA: 46 cm²/m




ALT. 2

OPEN AREA: 23 cm²/m




ALT. 3

OPEN AREA: 46 cm²/m



ALT. 4

OPEN AREA: 36.5 cm²/m



FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT

