

LAUTEX PERFORATIONS

PAGE 1/3

No. 1

Ø3.5 / 12.4%

	MAX. WIDTH
MATERIAL	PERFORATION AREA / SHEET
max. 0.9 Al max. 0.6 Steel	685 / 710 mm

No. 2

Ø3.5 / 25%

	MAX. WIDTH
MATERIAL	PERFORATION AREA / SHEET
max. 0.9 Al max. 0.6 Steel	685 / 710 mm

No. 3

Ø3.5 / 6.2%

	MAX. WIDTH
MATERIAL	PERFORATION AREA / SHEET
max. 0.9 Al max. 0.6 Steel	678 / 710 mm

No. 4

Ø2.0 / 15%

	MAX. WIDTH
MATERIAL	PERFORATION AREA / SHEET
max. 0.7 Al max. 0.5 Fe	694 / 800 mm

No. 5









Ø1.1 / 21%

	MAX. WIDTH
MATERIAL	PERFORATION AREA / SHEET
max. 0.6 Al	136 / 250 mm






FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT

6.1 LTX-PERFORATIONS

PAGE 2/3

No. 6 	Ø3.5 / 25% (ONLY FOR CASSETTES)	 <table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.9 Al max. 0.6 Fe</td><td>634 / 790 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Fe	634 / 790 mm
	MAX. WIDTH							
MATERIAL	PERFORATION AREA / SHEET							
max. 0.9 Al max. 0.6 Fe	634 / 790 mm							
No. 7 	Ø2.5 / 25%	 <table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.7 Al max. 0.5 Fe</td><td>178 / 280 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al max. 0.5 Fe	178 / 280 mm
	MAX. WIDTH							
MATERIAL	PERFORATION AREA / SHEET							
max. 0.7 Al max. 0.5 Fe	178 / 280 mm							
No. 8 	Ø1.1 / 21%	 <table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.7 Al</td><td>677.6 / 790 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al	677.6 / 790 mm
	MAX. WIDTH							
MATERIAL	PERFORATION AREA / SHEET							
max. 0.7 Al	677.6 / 790 mm							
No. 9 	Ø1.1 / 10.5%	 <table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.7 Al</td><td>677.6 / 790 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al	677.6 / 790 mm
	MAX. WIDTH							
MATERIAL	PERFORATION AREA / SHEET							
max. 0.7 Al	677.6 / 790 mm							
FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT								

6.1 LAUTEX-VENTILATION PERFORATIONS

	
ALT. 1 OPEN AREA: 46 cm²/m 	ALT. 2 OPEN AREA: 23 cm²/m 
ALT. 3 OPEN AREA: 46 cm²/m 	ALT. 4 OPEN AREA: 36.5 cm²/m 
FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT	

Latest information: www.lautex.com

All products are subject to modifications without prior notice