


LAUTEX LISTS

Length= 3000


PAGE 1/3

No. 30 DOUBLE-L-LIST



0.7 Al
0.14 kg/m


No. 33 L-LIST



0.7 Al
0.09 kg/m Can be bent


No. 36 PUSH SEAM LIST

No.	H
36A	15
36B	20
36C	25
36C+	27




1.0 Al
0.28 kg/m

No. 31 DOUBLE-L-LIST WITH TONGUE




0.7 Al
0.19 kg/m

No. 34 L-LIST WITH TONGUE



0.7 Al
0.14 kg/m


No. 50 L-LIST 40x40



1.0 Al 0.21 kg/m
1.0 Fe 0.62 kg/m


No. 32 U-END LIST

No.	H	Weight kg/m
32A	15	0.09
32B	20	0.10
32C	25	0.10
32C+	27	0.10
32D	30	0.11
32E	35	0.12
32F	40	0.13
32G	48	0.15
32H	50	0.15



0.7 Al

No. 35 T-LIST WITH TONGUE



1.0 Al
0.28 kg/m

Latest information: www.lautex.com

All products are subject to modifications without prior notice 2014


LAUTEX LISTS

Length= 3000

Page 2/3

No. 51 Z-LIST


No.	H	Weight kg/m
51A	15	0.42
51B	20	0.44
51C	25	0.48
51D	30	0.54
51E	35	0.58
51F	40	0.62
51G	48	0.68
51H	50	0.70



1.0 Steel (Weights in the table)
1.5 Al Can be bent

No. 53 U-INSERT LIST


No.	H	Weight kg/m
53A	15	0.10
53B	20	0.11
53C	25	0.12
53C+	27	0.12
53D	30	0.13
53E	35	0.14
53F	40	0.15



0.7 Al

No. 122 HAT LIST


FOR NBT-300/B0 & B15 CEILINGS



1.0 Steel
0.85 kg/m

No. 124 COVER PROFILE


FOR NBT-300/B0 & B15 CEILINGS



Steel
0.66 kg/m

No. 52 HAT LIST


No.	H	Weight kg/m
52A	15	0.23
52B	20	0.26
52C	25	0.29
52D	30	0.31
52E	35	0.34
52F	40	0.37
52G	48	0.39
52H	50	0.40



1.0 Al

No. 107 Z-INSERT LIST


No.	H	Weight kg/m
107A	15	0.16
107B	20	0.18
107C	25	0.19
107C+	27	0.19
107D	30	0.20
107E	35	0.22
107F	40	0.23



0.4 Steel

No. 125 L-LIST

FOR NBT-300/B0 & B15 CEILINGS




1.0 Steel
0.58 kg/m

LAUTEX LISTS

Length= 3000


Page 3/3

No. 126 SEALING PROFILE FOR NBT-300/B0 CEILINGS




1.0 Fe
0.25 kg/m

No. 128 Z-PROFILE FOR NBT-300/B15 CEILINGS




1.0 Fe
1.02 kg/m (h=60)

No. 127 Z-PROFILE FOR NBT-300/B0 CEILINGS



1.0 Fe
0.97 kg/m (h=60)

CURVED LISTS - DIRECTION OF RADIUS



Latest information: www.lautex.com

All products are subject to modifications without prior notice 2011