









LAUTEX PERFORATIONS

PAGE 1/3

No. 1	Ø3.5 / 12.4%		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.9 Al max. 0.6 Steel</td><td>685 / 710 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Steel	685 / 710 mm
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.9 Al max. 0.6 Steel	685 / 710 mm								
No. 2	Ø3.5 / 25%		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.9 Al max. 0.6 Steel</td><td>685 / 710 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Steel	685 / 710 mm
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.9 Al max. 0.6 Steel	685 / 710 mm								
No. 3	Ø3.5 / 6.2%		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.9 Al max. 0.6 Steel</td><td>678 / 710 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Steel	678 / 710 mm
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.9 Al max. 0.6 Steel	678 / 710 mm								
No. 4	Ø2.0 / 15%		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.7 Al</td><td>694 / 800 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al	694 / 800 mm
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.7 Al	694 / 800 mm								
No. 5	Ø1.1 / 21% PANELS ONLY		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.6 Al</td><td>136 / 250 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.6 Al	136 / 250 mm
	MAX. WIDTH								
MATERIAL	PERFORATION AREA / SHEET								
max. 0.6 Al	136 / 250 mm								
FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT									


6.1 LTX-PERFORATIONS

PAGE 2/3

No. 6		Ø3.5 / 25% (ONLY FOR CASSETTES)		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.9 Al max. 0.6 Fe</td><td>634 / 790 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.9 Al max. 0.6 Fe	634 / 790 mm
	MAX. WIDTH									
MATERIAL	PERFORATION AREA / SHEET									
max. 0.9 Al max. 0.6 Fe	634 / 790 mm									
No. 7		Ø2.5 / 25%		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.7 Al max. 0.5 Fe</td><td>178 / 280 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al max. 0.5 Fe	178 / 280 mm
	MAX. WIDTH									
MATERIAL	PERFORATION AREA / SHEET									
max. 0.7 Al max. 0.5 Fe	178 / 280 mm									
No. 8		Ø1.1 / 21% ONLY FOR CASSETTES		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.7 Al</td><td>677.6 / 790 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al	677.6 / 790 mm
	MAX. WIDTH									
MATERIAL	PERFORATION AREA / SHEET									
max. 0.7 Al	677.6 / 790 mm									
No. 9		Ø1.1 / 10.5%		<table><tr><td></td><td>MAX. WIDTH</td></tr><tr><td>MATERIAL</td><td>PERFORATION AREA / SHEET</td></tr><tr><td>max. 0.7 Al</td><td>677.6 / 790 mm</td></tr></table>		MAX. WIDTH	MATERIAL	PERFORATION AREA / SHEET	max. 0.7 Al	677.6 / 790 mm
	MAX. WIDTH									
MATERIAL	PERFORATION AREA / SHEET									
max. 0.7 Al	677.6 / 790 mm									
FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT										


6.1 LAUTEX-VENTILATION PERFORATIONS

PAGE 3/3




ALT. 1

OPEN AREA: 46 cm²/m




ALT. 2

OPEN AREA: 23 cm²/m




ALT. 3

OPEN AREA: 46 cm²/m



ALT. 4

OPEN AREA: 36.5 cm²/m



FOR PERFORATION OF HIGH GLOSS ANODIZED PRODUCTS ALWAYS CONTACT OUR SALES DEPARTMENT